

PRODUCT SHEET BAR1-80

Product Sheet – BWS-0006

CHILLED



- 80 l/h

SPARKLING




- 80 l/h

BE BOX C




- Compact and efficient
- 29 kg
- 505W max power
- Dry chill

FILTER ULTRA-S


- 3-stages filtration with activated charcoal
- Ultrafiltration up to 99,9999% particles removal




TAP

Water	Chilled still and sparkling  	
Dimensions	↔ 15, ↓ 47, ⬆ 24 cm	
Dispensing height	↓ 28 cm	
Drilling hole	Ø3.5cm	
Optional drip tray hole	↔ 40, ⬆ 22 cm	

FILTER ULTRA-S


Dimensions	Ø8.3 ↓ 23cm	
Activated carbon technology	3-stages filtration with activated carbon: <ul style="list-style-type: none"> ▪ Coarse particles filtration ▪ Removal of chlorine, organic substances and “off-flavour” components ▪ Fine particles and suspended solids filtration 	
Capacity	6000L	

BE BOX C (80) *

Cooling capacity	80 L/h	
Settings	Adjustable temperature and sparkling intensity	
Dimensions	↓ 46.7, ↔ 32, ⬆ 45.6 cm + ventilation support	
Weight	29kg	
Max. power	505W	
Flow (time to fill 75cl)	12s	

*Available with different cooling capacities

GAS

Dimensions 3.5L	Ø14.5 ↓ 46 cm	
Dimensions 10L high	Ø14 ↓ 92 cm	
Dimensions 10L large	Ø20 ↓ 58 cm	

SERVICE AND MAINTENANCE

All inclusive Twice a year	Full hygiene and safety covering, CO2 and filter replacement, maintenance and lifetime warranty. 100% recycled consumables.
-------------------------------	---

DRIP TRAY OPTIONS

Drip tray integrated

- Need to drill a 22*40cm hole
- Drainage to waste water
- Possibility to add a waste kit in option



Drip tray non integrated

- No hole
- Place it on the counter with non-slip pads

